Official Quotation

| Boiler Stud + Ceramic Ferrule (Length Before Welding) | | | | | | | | | |
|---|----------------------|--------------|---------------|----------|----------------------|--------------------|--|--|--|
| No Description of Commodity(mm) | | Material | Quantity / PC | Standard | Unit price (BAHT) | Total Amount (USD) | | | |
| 1 | Boiler Stud 10 x 20 | Carbon Steel | 200,000 | ISO13918 | 6.50 | 1,300,000.00 | | | |
| 2 | Ceramic Ferrule UF10 | / | 200,000 | ISO13919 | 3.50 | 700,000.00 | | | |
| Total Amount: | | 2,000,000.00 | | | | | | | |

Business Term

Package: Pallets Boiler Stud with Ceramic Ferrule.

Raw material: Low Carbon Steel

MOQ: 1000kg/size.

Package:

Carton/Pallets: (2100pcs/carton for 10x20mm, 40 cartons per pallet) European pallets

Delivery time: 25~55 days after receiving your deposit.


Payment terms: 50%T/T to confirm order, Balance be paid before delivery. (didn't including vat 7%)


Offer valid: 10 days.

Production Pictures



Boiler Stud Parame





Before welding

After welding

| Dimensions(in mm) | | | | | Weight | Al Flux | |
|-------------------|----|----|----|-------------|----------|-----------|------------|
| d1 | 11 | d3 | h4 | L1 Burn Off | Kg/100pc | Depth Max | Height Min |
| 10 | 20 | 13 | 4 | 4.5 | 0.901 | 1.4 | 1 |



| Specification | 6 | Piece/carton | | | |
|---------------|-----------|--------------|--------|----|------|
| 2 1 | D7+0.5/-0 | D8 ±1 | D9 ± 1 | H2 | 300 |
| UF10 | 10.2 | 15 | 17.8 | 10 | 4000 |

Related Products

